

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

IN THE CLAIMS:

Please amend claims 2-10, 12-14, 15-22, and 24-37 and cancel claims 1, 11, 16, and 23 as follows:

1. (Canceled)
2. (Currently Amended) The system of claim [[1]] 37, wherein the first electronic device is a personal computer, and the second electronic device is a personal digital assistant.
3. (Currently Amended) The system of claim [[1]] 37, wherein the second electronic device is a system with low processing power and limited storage capacity.
4. (Currently Amended) The system of claim [[1]] 37, further comprising:
a user interface mechanism on the second electronic device that allows a user to query for data related to the example datum; and
a display on the second electronic device that displays the data related to the example datum when the user interface mechanism is invoked.
5. (Currently Amended) The system of claim [[1]] 37, further comprising a supporting database coupled to the at least one relationship agent, wherein the at least one relationship agent queries the supporting database to find the relationship information of the example datum.
6. (Currently Amended) The system of claim [[1]] 37, wherein the relationship

information is built based on criteria, including at least one of temporal relevance, content relevance and people relevance.

7. (Currently Amended) The system of claim [[1]] 37, wherein the data relationship database includes a document table for storing type and location information of data and a document relation table for storing correlation among data and a description of the type of relationship for the data.
8. (Currently Amended) The system of claim [[1]] 37, wherein data related to a set of example data are found.
9. (Currently Amended) The system of claim [[1]] 37, wherein the synchronizer transfers of the data relationship database, or a portion thereof, from the second electronic device to the first electronic device.
10. (Currently Amended) The system of claim [[1]] 37, further comprising a user interface front end to the data relationship database that allows the user to modify the relationship information stored in the data relationship database, set the user's own relationship information, or set rules for making the relationship information for the at least one relationship agent.
11. (Canceled)
12. (Currently Amended) The handheld device of claim [[11]] 34,

wherein the handheld device has low processing power and limited storage capacity as compared to a personal computer.

13. (Currently Amended) The handheld device of claim [[11]] 34, wherein the pre-computed relationship information is built based on criteria, including at least one of temporal relevance, content relevance and people relevance.

14. (Currently Amended) The handheld device of claim [[11]] 34, wherein the data relationship database includes a document table for storing type and location information of data and a document relation table for storing correlation among data and a description of the type of relationship for the data.

15. (Currently Amended) The handheld device of claim [[11]] 34, further comprising a user interface front end to the data relationship database that allows a user to modify the pre-computed relationship information, set the user's own relationship information, or set rules for making the relationship information.

16. (Canceled)

17. (Currently Amended) The method of claim [[16]] 35, wherein the first computing device is a system with low processing power and limited storage capacity as compared to a personal computer.

18. (Currently Amended) The method of claim [[16]] 35, further comprising:

providing a user interface mechanism on the first computing device that allows a user to query for data related to the example datum; and

displaying the data related to the example datum when the user interface mechanism is invoked.

19. (Currently Amended) The method of claim [[16]] 35, further comprising making a query into a supporting database coupled to the data relationship database for finding the relationship information of a particular datum.

20. (Currently Amended) The method of claim [[16]] 35, wherein the relationship information is built based on criteria, including at least one of temporal relevance, content relevance and people relevance.

21. (Currently Amended) The method of claim [[16]] 35, further comprising transferring a data relationship database, or a portion thereof, from the first computing device to the second computing device.

22. (Currently Amended) The method of claim [[16]] 35, further comprising providing a user interface front end to the data relationship database that allows a user to modify the relationship information stored in the data relationship database, set the user's own relationship information, or set rules for making the relationship information.

23. (Canceled)

24. (Currently Amended) The computer readable medium of claim [[23]] 36, wherein the first computing device is a system with low processing power and limited storage capacity as compared to a personal computer.

25. (Currently Amended) The computer readable medium of claim [[23]] 36, further comprising computer readable instruction encoded thereon for:

providing a user interface mechanism on the first computing device that allows a user to query for data related to the example datum; and

displaying the data related to the example datum when the user interface mechanism is invoked.

26. (Currently Amended) The computer readable medium of claim [[23]] 36, further comprising computer readable instruction encoded thereon for making a query into a supporting database coupled to the data relationship database for finding the relationship information of the example datum.

27. (Currently Amended) The computer readable medium of claim [[23]] 36, wherein the relationship information is built based on criteria, including at least one of temporal relevance, content relevance and people relevance.

28. (Currently Amended) The computer readable medium of claim [[23]] 36, further comprising computer readable instruction encoded thereon for transferring a

data relationship database, or a portion thereof, from the first computing device to the second computing device.

29. (Currently Amended) The computer readable medium of claim [[23]] 36, further comprising computer readable instruction encoded thereon for providing a user interface front end to the data relationship database that allows a user to modify the relationship information stored in the data relationship database, set the user's own relationship information, or set rules for making the relationship information.

30. (Currently Amended) The system of claim [[1]] 37, wherein the different applications are one of a calendar application, an email application, a to-do list application, a memo application, a word processing application, and a contacts application.

31. (Currently Amended) The hand-held device of claim [[11]] 34, wherein the different applications are one of a calendar application, an email application, a to-do list application, a memo application, a word processing application, and a contacts application.

32. (Currently Amended) The method of claim [[16]] 35, wherein the different applications are one of a calendar application, an email application, a to-do list application, a memo application, a word processing application, and a contacts application.

33. (Currently Amended) The computer-readable medium of claim [[23]] 36, wherein the different applications are one of a calendar application, an email

application, a to-do list application, a memo application, a word processing application, and a contacts application.

34. (Currently Amended) ~~The hand-held device of claim 11~~ A
handheld device that supports query by example, comprising:

a data relationship database that stores pre-computed relationship
information about data residing in different applications on a remote electronic
device;

a user interface mechanism that allows a user to query for data related to an
example datum;

logic that uses the relationship information in the data relationship database to
find data related to the example datum; and

a display that displays the data related to the example datum when the user
interface mechanism is invoked, wherein the related data are related to the example
datum by possessing a same term, the same term being one of a same word contained
in the data, a same string of words contained in the data, and a same calendar date
contained in the data.

35. (Currently Amended) ~~The method of claim 16~~ A method of
finding data related to an example datum in a first computing device, the method
comprising:

building relationship information about data residing in different applications in a
second computing device;

forming a data relationship database that stores the relationship information in the second computing device;

transferring the data relationship database, or a portion thereof, from the second computing device to the first computing device;

querying for data related to the example datum; and

using the relationship information in the data relationship database to find the data related to the example datum in the first computing device, wherein the related data are related to the example datum by possessing a same term, the same term being one of a same word contained in the data, a same string of words contained in the data, and a same calendar date contained in the data.

36 (Currently Amended) ~~The computer-readable medium of~~
claim 23 A computer readable medium for use in conjunction with a first computing device and a second computing device for finding data related to an example datum in the first computing device, the computer readable medium including computer readable instructions encoded thereon for:

building relationship information about data residing in different applications in the second computing device;

forming a data relationship database that stores the relationship information in the second computing device;

transferring the data relationship database, or a portion thereof, from the second computing device to the first computing device;

accepting the input of the example datum; and

using the relationship information in the data relationship database to find data related to the example datum in the first computing device, wherein the related data are related to the example datum by possessing a same term, the same term being one of a same word contained in the data, a same string of words contained in the data, and a same calendar date contained in the data.

37. (Currently Amended) ~~The system of claim 4~~ A system for finding data related to an example datum, comprising:

at least one relationship agent contained in a first electronic device that automatically builds relationship information about data residing in different applications on the first electronic device;

a data relationship database formed by the at least one relationship agent, the database including the relationship information about data residing in different applications on the first electronic device;

a synchronizer that transfers the data relationship database, or a portion thereof, from the first electronic device to the a second electronic device;

a user interface on the second electronic device to accept input of the example datum; and

logic embedded in the second electronic device that uses the relationship information in the data relationship database to find data related to the example datum, wherein the related data are related to the example datum by possessing a same term, the same term being one of a same word contained in the data, a same string of words contained in the data, and a same calendar date contained in the data.